


NetLink WL Wall Mounted Network Racks Series


Have a modern, pleasing appearance and offer outstanding value



As telecommunications needs continue to grow and expand, the physical space in which they exist does not always grow at the same rate. Wall - Mount Systems overcome this hurdle by providing racks and cabinets that allow you to create locations for cables and equipment where space is limited or does not exist. Secure equipment on the wall inside or outside of the telecommunications room and connect remote groups of users to the network. This 9U wall mount cabinet comes with a lockable front door, removable side panels and two fans. The cabinets are fully vented with a lockable steel framed glass door for safety and security. Quick release hinges allow for easy access to the cabinet for loading equipment and cables. Removable side panels allow access from each side and gland plate covers and cable strain relief positions are included in the top and bottom of the cabinets. The cabinets have a modern, pleasing appearance and offer outstanding value. The sturdy cabinets are quick and easy to install and provide an economic solution for cabling installations.



Product Dimensions



Usable Mounting Dimensions

PRODUCT IMAGES



- Aesthetically pleasing design with framed glass front door



- Lockable, quick release side panels, for maximum access into cabinet



- Cable entry cut out in top and base




- Angled vented roof




- Adjustable 19" mounting profiles

EXPLODED VIEW




- ① Frame
- ② Side panel
- ③ Mounting panel
- ④ Cable entry cover, removeable
- ⑤ Side key lock
- ⑥ Fan cover, removeable
- ⑦ Mounting profile
- ⑧ Front door
- ⑨ Front door key lock
- ⑩ Slam latch lock


Front View




Side View




Rear View



Plan view



Front View (without front door)



- ① Slam latch lock
- ② Side panel
- ③ Mounting panel
- ④ Cable entry cover, removeable
- ⑤ Side key lock
- ⑥ Fan cover, removeable
- ⑦ Mounting profile
- ⑧ Front door
- ⑨ Front door key lock

SPECIFICATIONS

Color	Black or White - Powder Coated
Material	SPCC Cold Rolled Steel
Material Thickness	Mounting Profile: 1.2mm, others: 1.0mm and 0.8mm
Doors	Steel + Glass front door, opening direction of door can be changed Turning angle of front door is over 180 degrees
Removable Side Panels	Yes
Cooling Fans	2 fans located on top panel
Adjustable Mounting Profile Installation	Yes
Assembly Required	Yes (Flat Pakced)
Loading Capacity	Maximum 132 lbs (60kg)
Cable Entries	Cable entry on both of top cover and bottom panel
Width	19 inches
Capacity	6U to 18U
Product Dimensions	XX H, 22.5 W, 17.7 D inches (50 H, 57 W, 45 D cm)
Front Rail and Read Depth	Adjustable depth 105mm 125mm 145mm 165mm 185mm 267mm 297mm 317mm 337mm 357mm (Measured from the Glass to the Rail)
Usable Mounting Dimensions	6U/9U/12U/15U or 18U Height 590mm Wide Depth 425mm / 600mm
ANSI/EIA	Yes
RS-310-D	Yes
IP Rating	IP20
RoHS	Yes
Reach	Yes
Package Quantity	1 - Wall Mount Cabinet (Unassembled)
Mounting Hardware	M5X10 self - tapping screws --- 8 pcs M6X12 screws --- 8pcs M6X12 screws & square nuts --- 10SET
Product Weight	18.5Kg- 26Kg

WARRANTY

Warranty	5 Year
----------	--------